

Bi-directional seal Knife Gate Valve for Slurry ref.840 / PN 10-16



MODEL: 840

WORKING PRESSURE:
DN850 6 Bar


STANDARDS:
Type: Flange
Design: MSS SP-81
Flange Standard: Customize
Face to Face: MSS SP-81
Testing Standard: API-598
Operation: hydraulic

GENERAL CHARACTERISTICS:

Main Material: Q235
Disc Material: SS316
Sealing Material: NBR
Packing: Rubber packing
Applicable Medium: Applicable for sewage treatment, Slurry,Pulp

PRODUCT DESCRIPTION:

840 Bi-directional seal Knife Gate Valve, tell body with 2 Replaceable seals structure knife gate valve, Flange protective cover to effectively protect the valve body, increasing valve life. This series of products is particularly suitable for the treatment of sludge



No.	Part
1	Body
2	Sealing ring
3	Body Protector Cover
4	Seat Holder
5	Disc
6	Chuck
7	Bonnet
8	Packing Gland
9	Hydraulic actuator
10	Packing Gland
11	Assembly window
12	Indicator bar
13	Seat
14	Packing


All the components can be substituted with equivalent or higher-class materials.

DAVINCI VALVES LTD, is constantly looking at all ways of improving our products and services related to the water, fire and industry sector and therefore we reserve the right to change, without prior notice, any of the data contained here. Please contact our Technical Sales Department for detailed advice.

© 2018 DAVINCI VALVES LTD.

www.davincivalves.com info@davincivalves.com +34 616553797 / +86 17340168233

"For professionals who wants more"



DAVINCI
VALVES™