


**GROUP 300
STRAINERS
MOD. 320/62**



**DAVINCI
VALVES™**

**TECHNICAL
DATA SHEET
INDUSTRY Series**

Y STRAINER CF8M F1 PN16

**DAVINCI
VALVES™**



**QUALITY
ASSUREMENT**

**DAVINCI
VALVES™**



**PRODUCT QT
ASSUREMENT**

**DAVINCI
VALVES™**



**COMPANY QT
ASSUREMENT**

www.davincivalves.com

18 Dongyu Street, Square One,
11th Floor 1101, Jinjiang District,
Chengdu, Sichuan CHINA

10F/Tower A, Billion Center,
1 Wang Kwong Road, Kowloon Bay
Kowloon HONG KONG

Y STRAINER PN16 F1 CF8M FLANGED END

APPLICATION:

Industry others


WORKING CONDITIONS:

Maximum Working Pressure: 16 bar (*)
Working Temperature: - 29 °C - + 425 °C.
Media Water, Stem, Oil etc.



STANDARDS:

Manufacture according to DIN 3352.
Face to Face: EN 558-1 Serie 1 (DIN 3202 F1).
Mounting with flanges: PN10 / PN16 EN 1092-2. DIN 2501.
Pressure Test: EN 12266-1, DIN 3230 y ISO 5208:
Body: 24 bars. Seat: 17,6 bars.



Nº	ITEM	MATERIAL
1	Body	A351 CF8M
2	Screen	A351 316
3	Gasket	AISI304 + Graphite
4	Bonnet	A351 CF8M
5	Plug	SS316
6	Nut	2H / AISI 304
7	Bolt	ASTM A192 B7

ND	L	D1	D2	D3	b	f	Z-d	Mesh
15	130	95	65	45	14	1.6	4-14	40
20	150	105	75	58	16	1.6	4-14	40
25	160	115	85	68	16	1.6	4-14	40
32	180	140	100	78	16	1.6	4-18	40
40	200	150	110	88	16	1.6	4-18	40
50	230	165	125	102	18	1.6	4-18	40
65	290	185	145	122	18	1.6	4-18	40
80	310	200	160	135	20	1.6	8-18	40
100	350	220	180	158	20	1.6	8-18	40
125	400	250	210	188	22	1.6	8-18	40
150	480	285	240	212	22	1.6	8-23	40
200	600	340	295	265	24	1.6	12-23	40
250	730	405	355	320	26	1.6	12-27	40
300	850	460	410	378	28	1.6	12-27	40


All the components can be substituted with equivalent or higher-class materials.

DAVINCI VALVES LTD, is constantly looking at all ways of improving our products and services related to the water, fire and industry sector and therefore we reserve the right to change, without prior notice, any of the data contained here. Please contact our Technical Sales Department for detailed advice.

© 2018 DAVINCI VALVES LTD.

www.davincivalves.com info@davincivalves.com +34 616553797 / +86 17340168233

"For professionals who wants more"



DAVINCI
VALVES™