


**GROUP 600
ACCESSORIES
MOD. 601/72**



**DAVINCI
VALVES™**

**TECHNICAL
DATA SHEET
WATER Series**

UNIVERSAL SADDLES

**DAVINCI
VALVES™**



**QUALITY
ASSUREMENT**

**DAVINCI
VALVES™**



**PRODUCT QT
ASSUREMENT**

**DAVINCI
VALVES™**



**COMPANY QT
ASSUREMENT**

www.davincivalves.com

18 Dongyu Street, Square One,
11th Floor 1101, Jinjiang District,
Chengdu, Sichuan CHINA

10F/Tower A, Billion Center,
1 Wang Kwong Road, Kowloon Bay
Kowloon HONG KONG

UNIVERSAL SADDLES

Ref.601A / PN 10-16

APPLICATION:

Potable water, neutral liquids, and sewage

WORKING CONDITIONS:

Working Temperature:

- 10 °C - + 120 °C. for EPDM

- 10 °C - + 82 °C. for NBR

GENERAL CHARACTERISTICS:

Range from DN50 to DN400

STANDARDS:

Comply with EN545

Pressure Test: EN 12266-1.

Body: 16 bar.



No.	Parte	Material
1	Body	D.Iron
2	Gasket	EPDM
3	Band	S.steel+EPDM
4	Bolts	C.S Dacromet

Head DN	Screwed outlet	Band N°	A	B
50-200	3/4"	1	150	70
50-200	1"	1	150	70
50-200	1 1/4"	1	150	70
50-200	1 1/2"	1	150	70
100-300	1"	1	195	92
100-300	1 1/4"	1	195	92
100-300	1 1/2"	1	195	92
100-300	2"	1	195	92
150-400	2"	1	216	157
150-400	1 1/2"	1	216	157
150-400	3"	1	216	157

Size	Bands Thickness	Bolts Length F	Bolts Thread Length
54-64	1.5	M12*120	100
60-77	1.5	M12*120	100
77-95	1.5	M12*120	100
95-119	1.5	M12*120	100
102-122	1.5	M12*120	100
120-150	1.5	M12*150	130
125-135	1.5	M12*120	100
139-160	1.5	M12*120	100
150-180	1.5	M12*150	130
151-171	1.5	M12*120	100
160-185	1.5	M12*120	100
170-195	1.5	M12*120	100
173-198	1.5	M12*120	100
195-220	1.5	M12*120	100
200-230	1.5	M12*150	130
223-248	1.5	M12*120	100
230-250	1.5	M12*120	100
250-280	1.5	M12*150	130
285-315	1.5	M12*150	130
315-340	1.5	M12*120	100
320-345	1.5	M12*120	100
330-355	1.5	M12*120	100
355-380	1.5	M12*120	100
385-400	1.5	M12*120	100
400-425	1.5	M12*120	100
410-435	1.5	M12*120	100

All the components can be substituted with equivalent or higher-class materials.

DAVINCI VALVES LTD, is constantly looking at all ways of improving our products and services related to the water, fire and industry sector and therefore we reserve the right to change, without prior notice, any of the data contained here. Please contact our Technical Sales Department for detailed advice.
© 2018 DAVINCI VALVES LTD.

"For professionals who wants more"



DAVINCI
VALVES™